

IPW
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)	Gyure et al.	Examiner:	Mendez, Manuel A.
Serial No.:	10/701,953	Group Art Unit:	3763
Confirmation No.:	8128	Docket:	102-522 CON 2
Filed:	November 5, 2003	Dated:	August 16, 2004
For:	LOCALIZED LUBRICATION OF SYRINGE BARRELS AND STOPPERS		

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

*I hereby certify this correspondence is being deposited
with the United States Postal Service as first class mail,
postpaid in an envelope, addressed to:
Commissioner for Patents, P.O. Box 1450,
Alexandria, Virginia 22313-1450
on August 16, 2004*

Signed: MJ Mullin / M-J Mullin

INTERVIEW SUMMARY RECORD

Sir:


This is to memorialize a telephone conference between the undersigned and Examiner
Manuel A. Mendez.

As discussed during the telephone conference, an Office Action was issued on July 19, 2004 with regards to the subject application. A separate, second Office Action was issued on August 11, 2004 also for the subject application. The Examiner indicated that the July 19, 2004 Office Action should be disregarded and only the August 11, 2004 is outstanding. Accordingly, Applicants are treating the July 19, 2004 Office Action as being withdrawn and will be considering filing a response to the August 11, 2004 Office Action.

Applicant: Gyure et al.
Application Serial No.: 10/701,953
Filing Date: November 5, 2003
Docket No.: 102-522 CON 2
Page 2

If there are any questions or if the Examiner has some concerns, please do not hesitate to contact Applicants' attorney at the number listed below.

Respectfully submitted,



Ludomir A. Budzyn
Registration No.: 40,540
Attorney for Applicant(s)

HOFFMANN & BARON, LLP
6900 Jericho Turnpike
Syosset, New York 11791
(973) 331-1700